

# Work Order ID 60207

Monday, June 28, 2010 3:25:07 PM



Page 1

Item ID: D3255-5

Accept



Setup Start

Revision ID:

Item Name: Gasket

Stop



Start Date: 6/28/2010 Start Qty: 8.00

Required Date: 7/5/2010 Req'd Qty: 8.00



Cust Item ID:

Customer:

Reference:

Approvals:

Process Plan:

*RD*

Date:

*10-6-29*

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start

Stop



Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID

Tool #

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

Draw Nbr

Revision Nbr

D3255

Rev B

100

0.00



FLOW WATER JET

Waterjet

Memo

0.00

FLOW CNC Waterjet

1-Cut as per Dwg D3255 ☒ Dwg Rev: *B* ☐ Prog Rev: *B* ☐ 2-Deburr if necessary

*RB 10-7-19*

*(16)*

110

QC2- Inspect parts off machine FAI/FAIB

0.00



QC

Memo

0.00

Quality Control

*RB 10-7-19*

120

QC8- Inspect parts - second check

0.00



QC

Memo

0.00

Quality Control

*Siolo 7/1/10*

*(110)*

W/O:		WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector	
			Initial Chief Eng	Action Description Chief Eng	Sign & Date				

**NOTE:** Date & initial all entries

**Work Order ID 60207**

Monday, June 28, 2010 3:25:07 PM

Page 2

Item ID: D3255-5

Accept

Revision ID:

Item Name: Gasket

Start Date: 6/28/2010 Start Qty: 8.00

Required Date: 7/5/2010 Req'd Qty: 8.00

Reference:

Cust Item ID:

Customer:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_  
QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Run Start  
Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run HoursTool ID Tool # Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

130

Identify as per dwg & Stock Location: 44

0.00



Packaging

Memo

0.00

Packaging

10-7-19

140

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

MF  
10-7-19

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

Monday, June 28, 2010 3:25:12 PM

Page 1

Work Order ID: 60207

Parent Item: D3255-5

Parent Item Name: Gasket




Start Date: 6/28/2010

Required Date: 7/5/2010

Start Qty: 8.00

Required Qty: 8.00

Comments: IPP ☐ A ☐ 04.05.12 ☐ New issue ☐ KJ/RF  
IPP Rev:B Now On Waterjet 06-08-14 JLM ☐

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3255  Gasket		Manufactured	No			110	sf	21.0000	1.5411	12.97768	95 19.6	18 10-7-19	

Location

ST408A

41343

110311

Loc Qty

21

21

Loc Code

41343 x 6

110311 x 4



MSIL 605.003

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:			WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP		Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
				Initial Chief Eng	Action Description Chief Eng	Sign & Date			


**NOTE:** Date & initial all entries








DESIGN 74	DRAWN BY 74	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED 4P	APPROVED [Signature]	DRAWING NO. D3255	REV. B SHEET 1 OF 4
DATE 04.12.06		TITLE ACCESS PANEL ASSEMBLY	SCALE 1:6
A	04.01.27	NEW ISSUE	
B	04.12.06	D3255-3 REDESIGN; ADDED Ø0.098	

RELEASED  
05-01-18 #



**D3255-041 ACCESS PANEL (SHOWN)**  
**D3255-042 ACCESS PANEL (OPPOSITE)**



**D3255-1 BEND DETAIL**  
**D3255-2 OPPOSITE**

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 40207  
B10625

**D3255-041/-042 NOTES:**

- 1) WELD PER DART QSI 004
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) INSTALL D3255-5 GASKET USING DOW CORNING P/N 736 ADHESIVE IN ACCORDANCE WITH MANUFACTURE'S INSTRUCTIONS
- 4) IDENTIFY WITH P/N & B/N USING FINE POINT PERMANENT MARKER

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:			WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP		Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
				Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



DESIGN TF	DRAWN BY TF	DART AEROSPACE LTD. HAWKESBURY, ONTARIO, CANADA	
CHECKED P	APPROVED H	DRAWING NO. D3255	REV. B SHEET 2 OF 4
DATE 04.12.06		TITLE TITLE SCALE 1:1	

RELEASED  
05-01-08 #



W/O 60267

**D3255-3 CAP**  
**FORM TO FIT D3155-1/-2**

**D3255-3 NOTES:**

- 1) MATERIAL: AISI 304/316 SS 0.032 THICK (REF. M304S22GA)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 6) MAKE PER DRAWING "D3255-B2.DWG"

**Copyright © 2004 by DART AEROSPACE LTD**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_


Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:			WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP		Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
				Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



RELEASED  
05-01-18



W/O 46207

D3255-1/-2 FLAT PATTERN

D3255-1/-2 NOTES:

- 1) MATERIAL: AISI 304/316 SS 0.032 THICK (REF. M304S22GA)  
2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED  
3) ALL DIMENSIONS ARE IN INCHES  
4) BREAK ALL SHARP EDGES 0.005 TO 0.010

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:			WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP		Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
				Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



DESIGN JT	DRAWN BY JT	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED LP	APPROVED JT	DRAWING NO. D3255	REV. 8 SHEET 4 OF 4
DATE 04.12.06		TITLE ACCESS PANEL ASSEMBLY	SCALE 1:5

RELEASED  
DS 01.18 #



**D3255-5 GASKET**

w/b 60207

**D3255-5 NOTES:**

- 1) MATERIAL: SILICONE COATED FIBERGLASS CLOTH PER AMS 3320F  
P/N SIL/F 36x36x1/16  
POSSIBLE SUPPLIER: AVIALL
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:			WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP		Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
				Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries